

17	Depressed mood greater than 2 days in duration							
	SYMPTOMS AND BEHAVIORS	0-2	3-5	6-8	9-11	12-13	14-16	17-19
18	Has suicidal thoughts often							
19	Has cut self with sharp instrument							
20	Has made suicide attempt							
21	Has difficulty getting to sleep at night							
22	Often awakens in the middle of the night							
23	Frequently oversleeps							
24	Has decreased need for sleep							
25	At times has very fast speech							
26	Thoughts race/has many ideas at once							
27	Has wide swings in mood							
28	Often does not seem to listen when spoken to							
29	Often takes excessive risks							
30	Is easily distracted by extraneous stimuli							
31	Has periods of inflated self-esteem or grandiosity							
32	Has engaged in unrestrained buying sprees							
33	Often blurts out answers to questions							
34	Has difficulty engaging in playful activities							
35	As a newborn, extremely irritable and difficult							

	to settle							
36	Is extremely sensitive to sensory stimuli							
	SYMPTOMS AND BEHAVIORS	0-2	3-5	6-8	9-11	12-13	14-16	17-19
37	Often has difficulty organizing tasks							
38	Often loses things necessary for tasks							
39	Often is reluctant to engage in tasks							
40	Often fidgets with hands or feet							
41	Often leaves seat in classroom							
42	Often has difficulty waiting turn							
43	Often interrupts or intrudes on others							
44	Demonstrates an inability to concentrate at school							
45	Frequently attempts to avoid school							
46	Illicit drug use							
47	Alcohol use							
48	Migraine headaches							
49	Speech difficulties (specify) _____							
50	Panic symptoms-marked anxiety attacks							
51	Excessive anxiety or worry (apprehensive expectation)							
52	Anxiety causes impairment in social functioning							

53	Marked and specific fear of closed spaces							
	SYMPTOMS AND BEHAVIORS	0-2	3-5	6-8	9-11	12-13	14-16	17-19
54	Marked and persistent fear of animals							
55	Marked and specific fear of heights							
56	Marked or specific fear of crowded places							
57	Hears voices							
58	Paranoid thinking							
59	Bizarre behavior, (specify)_____							
60	Recurrent anxiety-producing thoughts or impulses							
61	Repetitive mental acts (counting, repeating words silently)							
62	Frequent and repetitive checking behavior							
63	Frequent and repetitive hand-washing							
64	Tics: recurrent stereotyped movements or vocalizations							
65	Frequently lies							
66	Has deliberately engaged in fire setting							
67	Is frequently mischievous							
68	Often bullies, threatens, or intimidates others							
69	Often initiates physical fights							
70	Has deliberately destroyed							

	others' property							
71	Has broken into someone's house							
	SYMPTOMS AND BEHAVIORS	0-2	3-5	6-8	9-11	12-13	14-16	17-19
72	Often lies to obtain goods or favors							
73	Often stays out at night against curfew							
74	Has run away from home overnight at least twice							
75	Is often truant from school							
76	Often loses temper							
77	Often argues with adults							
78	Often defies or refuses to comply with rules							
79	Often blames others for his or her mistakes							
80	Is often touchy or easily annoyed by others							
81	Is often angry and resentful							
82	Has marked, persistent fear of social or performance situation							
83	Increased sexual interest							
84	Increased sexual behaviors							
85	Other _____							
86	Other _____							
87	Other _____							
88	Other _____							